

Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
 Finish: **Brushed Bronze** Article Number: **24221140**




Description

product features

- consists of: overhead shower, hand shower, shower thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- spray disc surface: graphite
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- shelf made of plastic
- surface shelf: graphite
- function from: 5,8 l/min
- flow rate PowderRain spray at 3 bar: 7,5 l/min
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- maximum flow rate of hand shower at 3 bar: 6,4 l/min
- maximum flow rate for Showerpipe at 3 bar: 7,5 l/min
- minimum flow pressure: 0,9 bar
- max. operating pressure: 10 bar
- ball-joint: overhead shower angle adjustable
- height-adjustable slider with locking push-button slider
- slider rotatable on the pipe for left or right operation
- shower arm length overhead shower: 398 mm
- swivelling shower arm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 400
- SafetyStop at 40°C
- adjustable hot water limitation
- convenient diversion via Select button
- simultaneous utilization of 2 functions
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection thread: G ½
- centre distance: 150 ± 12 mm
- pipe can be shortened in height
- intrinsically safe against backflow
- shower bar diameter: 22 mm
- Thermostat is delivered with buttons hand shower and overhead shower
- water flow control with stop function
- 2 functions
- EU taxonomy: max. 8 l/min - Do No Significant Harm (DNSH)

Technology



Design awards



reddot winner 2021




Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
 Finish: **Brushed Bronze** Article Number: **24221140**




Product image



Scale drawing



Flowchart




Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
 Finish: **Brushed Bronze** Article Number: **24221140**



Exploded Drawing

Year of production: >01/23



Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
 Finish: **Brushed Bronze** Article Number: **24221140**



Spare part list

Year of production: >01/23

Pos.	Description	Article Number	PC	PU
1	mounting set	98716000	5	1
2	wall flange	95688000	8	1
3	tile-matching-disk 7 mm	95239140	55	1
4	escutcheon Ø 60 mm	95692140	56	1
5	O-ring 20x2	98165000	1	1
6	screw	92137000	2	1
7	sleeve	92166140	59	1
8	hollow set screw M6x5	98447000	1	1
9	shower arm cpl.	94831140	65	1
10	O-ring 17x2,5	98387000	1	1
11	O-ring 17x2	98199000	1	1
12	hollow set screw M4x10	97667000	1	1
13	head shower	94880140	69	1
14	flow limiter (9 l/min)	95659000	3	1
15	support, assy	93517140	61	1
16	pipe 973 mm / Ø 22 mm	92468140	65	1
17	pipe 1030 mm	95915140	65	1
18	sealing foil	94795000	1	1
19	plug receptacle	85297000	7	1
20	O-ring 15x2,5	98131000	1	1
21	Thermostat	87855140	72	1
22	shower hose Isiflex'B 1,60 m	28276140	98	1
23	handshower	24111140	98	1
24	seal	98058000	1	1
25	handle	94403140	59	1
26	safety set	94404000	9	1
27	handle	94405140	57	1
28	handle fixing set	93228000	3	1
29	nut	98913000	6	1
30	thermostat cartridge	98282000	14	1
31	spring with sleeve	92340000	4	1
32	set of symbols	98367140	60	1
33	O-ring 20x1	98140000	1	1
34	nut	98368000	4	1
35	shut off unit	95758000	14	1
36	non return valve (pressure-resistant up to 2 MPa)	93223000	8	1
37	set of S-unions	95772000	13	1
38	noise reduction	96429000	2	1
39	O-ring 29x3	98371000	2	1
40	hollow set screw M6x16 including o-ring 29x3	98372000	3	1
a	adapter for ball S - union	02026000	98	1